

ÉTAGÈRES MURALES

MUURREK / WALL RACKS / WANDBORDE




PHOTO NON-CONTRACTUELLE / NIET-CONTRACTUELE FOTO / NON-CONTRACTUAL PHOTO / NICHT VERTRAGLICHES FOTO

CARACTÉRISTIQUES

FUNCTIES / FEATURES / KARAKTERISTIKEN

- ▶ Fabriqué entièrement en acier inox EN 1.4509 AISI 441, en 8/10^e mm.
Volledig gemaakt van EN 1.4509 AISI 441 roestvrij staal, van 8/10^e mm.
Made entirely of EN 1.4509 AISI 441 stainless steel, of 8/10th mm.
Vollständig aus rostfreiem Stahl EN 1.4509 AISI 441 hergestellt, 8/10^e mm.
- ▶ Renforcée par omega.
Versterkt met omega.
Omega-reinforced.
Mit Omega verstärkt.
- ▶ Charge utile 200kg/m.
Draagvermogen 200kg/m.
Load capacity 200kg/m.
Tragfähigkeit 200kg/m.

- ▶ Dossieret arrière 30mm.
Achterwand van 30 mm.
Rear splashback 30mm.
Backsplash 30mm.

- ▶ Possibilité de combiner avec des consoles fixes ou réglables.
Kan worden gecombineerd met vaste of verstelbare steunen.
Can be combined with fixed or adjustable supports.
Kann mit festen oder verstellbaren Stützen kombiniert werden.

VERSION AJOURÉE

OPENGEWERKTE VERSIE / OPENWORK VERSION / DURCHBROCHENE VERSION

- ▶ Tubes carrés 25x25mm.
25x25mm vierkante buizen.
25x25mm square tubes.
Quadratische Rohre 25x25mm.

REMARQUES

OPMERKINGEN / REMARKS / BEMERKUNGEN



VERSION FERMÉE

GESLOTEN VERSIE / CLOSED VERSION / GESCHLOSSENE VERSION

RÉFÉRENCE REFERENCE / REFERENZ					LONGUEUR LENGTE LENGTH LÄNGE
250 PROFONDEUR DEPTH / DIEPTE / TIEFE	300 PROFONDEUR DEPTH / DIEPTE / TIEFE	350 PROFONDEUR DEPTH / DIEPTE / TIEFE	400 PROFONDEUR DEPTH / DIEPTE / TIEFE	500 PROFONDEUR DEPTH / DIEPTE / TIEFE	
EML/0625	EML/0630	EML/0635	EML/0640	EML/0650	600
EML/0725	EML/0730	EML/0735	EML/0740	EML/0750	700
EML/0825	EML/0830	EML/0835	EML/0840	EML/05050	800
EML/1025	EML/1030	EML/1035	EML/1040	EML/1050	1000
EML/1225	EML/1230	EML/1235	EML/1240	EML/1250	1200
EML/1425	EML/1430	EML/1435	EML/1440	EML/1450	1400
EML/1625	EML/1630	EML/1635	EML/1640	EML/1650	1600
EML/1825	EML/1830	EML/1835	EML/1840	EML/1850	1800
EML/2025	EML/2030	EML/2035	EML/2040	EML/2050	2000
EML/2225	EML/2230	EML/2235	EML/2240	EML/2250	2200
EML/2425	EML/2430	EML/2435	EML/2440	EML/2450	2400

SUPPORTS FIXES, INOX 12/10

VASTE STEUNEN, 12/10 ROESTVRIJ STAAL / FIXED SUPPORTS, 12/10 STAINLESS STEEL / UNTERSTÜTZT FIXES, EDELSTAHL 12/10

RÉFÉRENCE REFERENCE / REFERENZ	PROFONDEUR DEPTH / DIEPTE / TIEFE
CFN/251	250
CFN/301	300
CFN/351	350
CFN/401	400
CFN/501	500



SUPPORTS RÉGLABLES, INOX 12/10

VERSTELBARE STEUNEN, 12/10 ROESTVRIJ STAAL
ADJUSTABLE SUPPORTS, 12/10 STAINLESS STEEL / VERSTELLBARE STÜTZEN, EDELSTAHL 12/10


RÉFÉRENCE REFERENCE / REFERENZ	PROFONDEUR DEPTH / DIEPTE / TIEFE
CR/250	250
CR/300	300
CR/350	350
CR/400	400
CR/500	500



LATTES RÉGLABLES, INOX 15/10

VERSTELBARE LATTEN, 15/10 ROESTVRIJ STAAL / ADJUSTABLE SLATS, 15/10 STAINLESS STEEL / VERSTELLBARE LATTEN, EDELSTAHL 15/10

RÉFÉRENCE REFERENCE / REFERENZ	PROFONDEUR DEPTH / DIEPTE / TIEFE
LE/330	330
LE/660	660
LE/990	990




ÉTAGÈRES MURALES

MUURREK / WALL RACKS / WANDBORDE



VERSION AJOURÉE

OPENGEWERKTE VERSIE / OPENWORK VERSION / DURCHBROCHENE VERSION



RÉFÉRENCE REFERENCE / REFERENZ					LONGUEUR LENGTE LENGTH LÄNGE
250 PROFONDEUR DEPTH / DIEPTE / TIEFE	300 PROFONDEUR DEPTH / DIEPTE / TIEFE	350 PROFONDEUR DEPTH / DIEPTE / TIEFE	400 PROFONDEUR DEPTH / DIEPTE / TIEFE	500 PROFONDEUR DEPTH / DIEPTE / TIEFE	
EMA/1025	EMA/1030	EMA/1035	EMA/1040	EMA/1050	1000
EMA/1225	EMA/1230	EMA/1235	EMA/1240	EMA/1250	1200
EMA/1425	EMA/1430	EMA/1435	EMA/1440	EMA/1450	1400
EMA/1625	EMA/1630	EMA/1635	EMA/1640	EMA/1650	1600
EMA/1825	EMA/1830	EMA/1835	EMA/1840	EMA/1850	1800
EMA/2025	EMA/2030	EMA/2035	EMA/2040	EMA/2050	2000
EMA/2225	EMA/2230	EMA/2235	EMA/2240	EMA/2250	2200
EMA/2425	EMA/2430	EMA/2435	EMA/2440	EMA/2450	2400

SUPPORTS FIXES, INOX 12/10

VASTE STEUNEN, 12/10 ROESTVRIJ STAAL / FIXED SUPPORTS, 12/10 STAINLESS STEEL / UNTERSTÜTZT FIXES, EDELSTAHL 12/10

RÉFÉRENCE REFERENCE / REFERENZ	PROFONDEUR DEPTH / DIEPTE / TIEFE
CFAN/251	250
CFAN/301	300
CFAN/351	350
CFAN/401	400
CFAN/501	500



SUPPORTS RÉGLABLES, INOX 12/10

VERSTELBARE STEUNEN, 12/10 ROESTVRIJ STAAL
ADJUSTABLE SUPPORTS, 12/10 STAINLESS STEEL / VERSTELLBARE STÜTZEN, EDELSTAHL 12/10

RÉFÉRENCE REFERENCE / REFERENZ	PROFONDEUR DEPTH / DIEPTE / TIEFE
CRA/250	250
CRA/300	300
CRA/350	350
CRA/400	400
CRA/500	500



LATTES RÉGLABLES, INOX 15/10

VERSTELBARE LATTEN, 15/10 ROESTVRIJ STAAL / ADJUSTABLE SLATS, 15/10 STAINLESS STEEL / VERSTELLBARE LATTEN, EDELSTAHL 15/10

RÉFÉRENCE REFERENCE / REFERENZ	PROFONDEUR DEPTH / DIEPTE / TIEFE
LE/330	330
LE/660	660
LE/990	990

